



## 135X85

### Street Light Lens




PART NUMBER	SIZE	LED MATERIAL	LED PACKAGE	LED MANUFACTURER
LP67_8X1_5050_135X85_50*50*6.7-SL23	50X50X6.7 mm	PC	5050	

#### General Information

#### Application

- Lens Material : Optical Grade PC (Bayer 2407)
- Luminous transmittance : 89 to 90%(ISO 135468-/ASTM D1003)
- Refractive index : 1.584 (ISO 489/ASTM D542)
- Operating Temperature range -40°C to 110°C (upper limit +130°C)
- Flammability : HB/V-o (UI94)
- If necessary, clean lenses with mild soap, water and soft cloth.
- ⚠ Never use any commercial cleaning solvents on lenses, like alcohol
- Please handle or install lenses with wearing gloves, skin oils may damage lens or its optical characteristics.



Plot No.3, Kaili Industrial Area, Main GT Road, Ballabgarh, Faridabad-121004, Haryana

+91 9711472021, 7838461601

lenspointindia@gmail.com www.lenspointindia.com

1 2 3 4 5 6 7 8

A



B

C



D

E

F




SECTION C-C



**GENERAL INFO:-**

- 1. Lens material - Optical PC
- 2. Operating Temperature range -40° \_ +110°(upper limit +130°)
- 3. Storage Temperature range -40° \_ +110°(upper limit +130°)
- Average Transmittance in visible spectrum 400nm-700nm>90%
- Usage and Maintenance
- 1. If necessary, clean lenses with mild soap, water and soft cloth.
- 2. Never use any commercial cleaning solvents like Alcohol.
- 3. Handle and install lenses with wearing gloves, skin oils may Damage lenses or its optical characteristics,.

		<h2>LENS POINT (INDIA) PVT. LTD.</h2>		
		Drawn By AKASH	Title -LP60_4x1_5050_25°_50509.8_FL23	
Checked by VISHAL		Approved by	Size A3	OPEN TOL.- ±0.2 MM
Date 18-04-2022	Scale 1:1	MATERIAL - PC	ALL DIMENSIONS ARE IN MM	

1 2 3 4 5 6 7 8 A3